

SSP502-SERIES 30,45,55,60FR,60FR TRANSFER, 40UL94V1, 60UL94V1, F-60,65,77,F-80 DUROMETERS

SECTION 1: IDENTIFICATION

PRODUCT IDENTIFIER: SSP502-SERIES

OTHER MEANS OF IDENTIFICATION: NICKEL COATED GRAPHITE FILLED SILICONE

RECOMMENDED USE: CONDUCTIVE ELASTOMER, EMI SHIELDING

RESTRICTIONS ON USE: NONE

<u>MANUFACTURED</u> SPECIALTY SILICONE PRODUCTS, INC. <u>EMERGENCY TELEPHONE:</u> (518)-885-8826

BY: CORPORATE TECHNOLOGY PARK

3 MC CREA HILL ROAD REVISED: 12/15/2015

BALLSTON SPA, NY 12020 REVISED BY:

SUPPLIED BY: SPECIALTY SILICONE PRODUCTS, INC.

CORPORATE TECHNOLOGY PARK

3 MC CREA HILL ROAD BALLSTON SPA, NY 12020

HOURS: 8AM-5PM, MONDAY-FRIDAY

SECTION 2: HAZARD IDENTIFICATION

CLASSIFICATION OF MATERIAL: ACUTE TOXICITY, ORAL CATEGORY 4

SIGNAL WORD: WARNING

HAZARD STATEMENT(S): CAUSES RESPIRATORY TRACT AND SKIN IRRITATION. MAY CAUSE ALLERGIC RESPIRATORY AND SKIN REACTION. CONTAINS MATERIAL THAT CAN CAUSE TARGET ORGAN DAMAGE. CANCER HAZARD- CONTAINS MATERIAL WHICH CAN CAUSE CANCER

SYMBOL(S):



PRECAUTION(S):

GENERAL- NOT APPLICABLE

PREVENTION- OBTAIN SPECIAL INSTRUCTIONS BEFORE USE

DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD.

BRIAN BAYLY



SSP502-SERIES 30,45,55,60FR,60FR TRANSFER, 40UL94V1, 60UL94V1, F-60,65,77,F-80 DUROMETERS

USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED

RESPONSE- IF EXPOSED OR CONCERNED: GET MEDICAL ATTENTION

STORAGE- STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY CLOSED. STORE LOCKED UP. DISPOSAL- P501 DISPOSE OF CONTENTS AND CONTAINER IN ACCORDANCE WITH ALL LOCAL, REGIONAL,

NATIONAL AND INTERNATIONAL REGULATIONS

OTHER HAZARD NONE KNOWN

UNKNOWN TOXICITY INGREDIENTS: NONE KNOWN

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME: NICKEL COATED GRAPHITE FILLED SILICONE

COMMON NAME: SSP502 SERIES

HAZARDOUS COMPONENTSCAS REG NO.APPROX. WT. %NICKEL7440-02-035-45

 NON-HAZARDOUS COMPONENTS
 CAS REG NO.
 APPROX. WT. %

 METHYLVINYLPOLYSILOXANE
 68037-87-6
 25-35

 GRAPHITE
 7440-44-0
 25-35

 TREATED SILICA
 68937-51-9
 1-3

SECTION 4: FIRST AID MEASURES

NECESSARY MEASURES:

EYES: RINSE WITH PLENTY OF WATER FOR 15 MINUTES

SKIN: WASH WELL WITH SOAP AND WATER

INGESTION: DRINK A GLASS OF WATER OR MILK AND SEEK MEDICAL ATTENTION

INHALATION: REMOVE TO FRESH AIR

SYMPTOMS, ACUTE AND DELAYED:

EYES: MAY CAUSE MILD EYE IRRITATION SKIN: MAY CAUSE MILD IRRITATION

INGESTION: MAY BE HARMFUL IF SWALLOWED

INHALATION: NONE KNOWN

INDICATION OF MEDICAL ATTENTION AND TREATMENT NEEDED:

EYES: IRRITATION OCCURS SKIN: IRRITATION OCCURS INGESTION: IRRITATION OCCURS INHALATION: IRRITATION OCCURS

NOTES TO PHYSICIAN: NONE



SSP502-SERIES 30,45,55,60FR,60FR TRANSFER, 40UL94V1, 60UL94V1, F-60,65,77,F-80 DUROMETERS

SECTION 5: FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MATERAL(S): FOAM, CO2 DRY POWDER OR WATER FOG.

UNSUITABLE EXTINGUISHING MATERAL(S): NONE KNOWN

NATURE OF HAZARDOUS COMBUSTION PRODUCTS:

CARBON MONOXIDE CARBON DIOXIDE SILICON DIOXIDE FORMALDEHYDE

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS: WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL

PROTECTIVE EQUIPMENT.

OTHER SPECIFIC HAZARDS: NONE

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: GENERAL CLEANLINESS

PROTECTIVE EQUIPMENT: NONE

EMERGENCY PROCEDURES: NONE. CLEAN AREA

METHODS AND MATERIALS FOR CONTAIMINATION AND CLEAN UP:

SCRAPE, SWEEP, OR GATHER UP MATERIAL AND PUT IN A CONTAINER FOR DISPOSAL.

- BURY IN A LICENSED LANDFILL IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL

REGULATIONS.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:

RESPIRATORY PROTECTION: NONE GLOVES: CLOTH OR RUBBER GLOVES
EYES AND FACE: SAFETY GLASSES ENGINEERING CONTROLS: NONE

CONDITIONS FOR SAFE STORAGE: STORE AT AMBIENT TEMPERATURES, PREFERABLY 65°-85° F

IMCOMPATABILITIES: NONE

SECTION 8: **EXPOSURE CONTROLS/PERSONAL PROTECTION**

OSHA PERMISSIBLE EXPOSURE LIMIT:

COMPONENTTYPEVALUENICKELPEL0.5 MG/M3GRAPHITEPEL4.0 MG/M3

ENGINEERING CONTROLS: EXHAUST VENTILATION DURING CURE.

INDIVIDUAL PROTECTION MEASURES, EQUIPMENT:

EYES AND FACE: SAFETY GLASSES GLOVES: CLOTH OR RUBBER

RESPIRATORY PROTECTION: NONE



SSP502-SERIES 30,45,55,60FR,60FR TRANSFER, 40UL94V1, 60UL94V1, F-60,65,77,F-80 DUROMETERS

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE (physical state, color, etc.): BLACK SOLID

ODOR: ESSENTIALLY ODORLESS
ODOR THRESHOLD: NOT AVAILABLE

Ph: NOT AVAILABLE

MELTING POINT: NOT AVAILABLE
INITIAL BOILING POINT: NOT AVAILABLE
BOILING RANGE: NOT AVAILABLE

FLASH POINT: NOT AVAILABLE EVAPORATION RATE: <1

FLAMABILITY (solid, gas): NOT AVAILABLE

<u>UPPER FLAMMABILITY LIMIT: NOT AVAILABLE</u>
<u>LOWER FLAMMABILITY LIMIT: NOT AVAILABLE</u>

<u>VAPOR PRESSURE:</u> NOT AVAILABLE VAPOR DENSITY: NOT AVAILABLE

RELATIVE DENSITY: ~2000

SOLUBILITY(IES): INSOLUBLE IN WATER

SOMEWHAT SOLUBLE IN TOULENE

PARTITION COEFFICIENT (n-octanol/water): NOT AVAILABLE

<u>AUTO-IGNITION TEMPERATURE:</u> NOT AVAILABLE DECOMPOSITION TEMPERATURE: NOT AVAILABLE

VISCOSITY: NOT AVAILABLE

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY: LOW

<u>CHEMICAL STABILITY</u>: HIGH <u>STABILIZERS PRESENT:</u> NONE

POSSIBILITY OF HAZARDOUS REACTIONS: LOW CONDITIONS TO AVOID (static, vibration): NONE

INCOMPATIBLE MATERIALS: NONE

HAZARDOUS DECOMPOSITION PRODUCTS: NONE VISUAL EVIDENCE OF DECOMPOSITION: NONE

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: NOT AVAILABLE CHRONIC TOXICITY: NOT AVAILABLE IRRITATION/CORROSION: NOT AVAILABLE

SENSITIZER: NOT AVAILABLE MUTAGENICITY: NOT AVAILABLE

<u>INFORMATION ABOUT CARCINOGENICITY:</u> CONTAINS MATERIAL WHICH CAN CAUSE CANCER. RISK OF CANCER

DEPENDS ON DURATION AND LEVEL OF EXPOSURE.

CLASSIFICATION: NICKEL ACGIH-A5, IARC-2B, NTP-REASONABLY ANTICIPATED TO BE A HUMAN CARCINOGEN



SSP502-SERIES 30,45,55,60FR,60FR TRANSFER, 40UL94V1, 60UL94V1, F-60,65,77,F-80 DUROMETERS

SECTION 12: ECOLOGICAL INFORMATION

ECO TOXICITY: UNKNOWN

PERSISTANCE AND DEGRADABILITY: UNKNOWN BIO ACCUMULATIVE POTENTIAL: UNKNOWN

MOBILITY IN SOIL: UNKNOWN OTHER HAZARDS: NONE KNOWN

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE RESIDUES: NONE KNOWN

<u>SAFE METHODS OF DISPOSAL:</u> BURY IN LICENSED LANDFILL IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

THIS PRODUCT AS SOLID IS NOT A HAZARDOUS WASTE ACCORDING TO 40 CFR 261. DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

SECTION 14: TRANSPORT INFORMATION

UN NUMBER:NONEUN PROPER SHIPPING NAMES:NONECFR:NONETDG:NONEIATA:NONE

TRANSPORT HAZARD CLASSES: NOT DOT REGULATED

<u>HMIS</u> FLAMMABILITY 1 REACTIVITY 0 HEALTH 2

<u>NFPA</u> FLAMMABILITY 1 REACTIVITY 0 HEALTH 2

PACKING GROUP: NOT DOT REGULATED

ENVIORNMENTAL HAZARDS: NONE KNOWN

TRANSPORT IN BULK: NONE SPECIAL PRECAUTIONS: NONE

SECTION 15: REGULATORY INFORMATION

DOT SHIPPING NAME: NOT DOT REGULATED.

DOT HAZARD CLASS: NONE DOT LABEL(S) NONE UN/NA NUMBER: NONE NOT REGULATED BY IATA US FEDERAL REGULATIONS:

SARA HAZARD CLASS (SECTION 311, 312): NONE



SSP502-SERIES 30,45,55,60FR,60FR TRANSFER, 40UL94V1, 60UL94V1, F-60,65,77,F-80 DUROMETERS

SARA SECTION 302: NONE

TSCA: ALL INGREDIENTS IN THIS MATERIAL ARE ON THE TSCA INVENTORY.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION

DATE OF PREPARATION OF THE SDS 12/15/2015